

# Black Teknigas Combustion Range

General Purpose Solenoid Valves



## GENERAL PURPOSE SOLENOID VALVES

### SERIES 3000 VALVES

Series 3000 - General Purpose Valves, normally closed. (Energise to open).

For Water, Hot Water, Air, Oil, etc. Fast opening and closing.

Brass body with a choice of diaphragm material, Nitrile, EPDM (WRAS certified) or Viton.

Electrical connection by DIN socket. Protection to IP 65.



#### Nitrile Diaphragm

PRODUCT CODE	SIZE/STYLE	UNIT	PRICE £
3001 230V-N	3/8" BSP	each	164.25
3002 230V-N	1/2" BSP	each	178.94
3003 230V-N	3/4" BSP	each	240.09
3004 230V-N	1" BSP	each	240.66
3005 230V-N	1.1/4" BSP	each	429.19
3006 230V-N	1.1/2" BSP	each	429.13
3007 230V-N	2" BSP	each	442.25

#### EPDM Diaphragm

PRODUCT CODE	SIZE/STYLE	UNIT	PRICE £
3001 230V-E	3/8" BSP	each	165.81
3002 230V-E	1/2" BSP	each	180.51
3003 230V-E	3/4" BSP	each	242.21
3004 230V-E	1" BSP	each	242.79
3005 230V-E	1.1/4" BSP	each	431.87
3006 230V-E	1.1/2" BSP	each	431.82
3007 230V-E	2" BSP	each	500.40

#### Viton Diaphragm

PRODUCT CODE	SIZE/STYLE	UNIT	PRICE £
3001 230V-V	3/8" BSP	each	168.63
3002 230V-V	1/2" BSP	each	183.33
3003 230V-V	3/4" BSP	each	246.01
3004 230V-V	1" BSP	each	246.01
3005 230V-V	1.1/4" BSP	each	436.27
3006 230V-V	1.1/2" BSP	each	436.21
3007 230V-V	2" BSP	each	436.21

#### Coil Only

PRODUCT CODE	SIZE/STYLE	UNIT	PRICE £
3000 A 230V	230 V 50 Hz	each	27.75
3000 A 110V	110 V 50 Hz	each	27.75
3000 A 24V	24 V 50 Hz	each	27.75

bar **BLÜCHER**<sup>®</sup> MICROFLEX<sup>®</sup> SOCLA  valpes

 **WATTS**<sup>®</sup>